



Archived Content

Information identified as archived is provided for reference, research or recordkeeping purposes. It is not subject to the Government of Canada Web Standards and has not been altered or updated since it was archived. Some of this archived content is available only in one official language. Translation by CMHC can be requested and will be provided if demand is sufficient.

Contenu archivé

Le contenu identifié comme archivé est fourni à des fins de référence, de recherche ou de tenue des dossiers; il n'est pas assujetti aux normes Web du gouvernement du Canada. Aucune modification ou mise à jour n'y a été apportée depuis son archivage. Une partie du contenu archivé n'existe que dans une seule des langues officielles. La SCHL en fera la traduction dans l'autre langue officielle si la demande est suffisante.

Series: 1976 (Letter-Number)











Official Language: E
Measurement System: Imperial
File System: Hardcopy

Finished Area
(Building Total): 1056 ft²/ (Approximate)


1. Plans; Section; Detail Wall Section; Elevation; Kitchen Elev's. As Noted
2. Site Plan; Alternative Plan; Section; Exterior Perspective
3. Page 2--Original

Roofing: Asphalt shingles
Roof Shape: Gable
Comments:





Special Features: N/A
Comments:



- GENERAL NOTES**
1. ALL FOOTINGS AND FOUNDATIONS SHALL REST ON UNDISTURBED SOIL OR ROCK. FOOTINGS AND FOUNDATIONS MAY HAVE TO BE INCREASED TO SUIT EXISTING LOCAL SOIL CONDITIONS.
 2. DOUBLE JOISTS REQUIRED UNDER PARTITIONS RUNNING PARALLEL TO THE FLOOR JOISTS MAY BE BLOCKED APART 8" AT 4'-0" O.C. TO PERMIT THE PASSAGE OF HEATING DUCTS ETC.
 3. THE POSITION AND NUMBER OF ELECTRICAL OUTLETS MAY BE RELOCATED BUT MUST IN ALL CASES MEET THE MINIMUM REQUIREMENTS OF THE RESIDENTIAL STANDARDS AND COMPLY WITH LOCAL CODES.
 4. PROVIDE A ROD AND AT LEAST ONE SHELF IN ALL COAT AND CLOTHES CLOSETS.
 5. ALL FLOOR JOISTS ARE DESIGNED TO NO. 1 GRADE SPRUCE. ANY CHANGE OR SUBSTITUTION MUST BE APPROVED BY AUTHORITY HAVING JURISDICTION.
 6. ALL CONSTRUCTION MUST COMPLY WITH THE RESIDENTIAL STANDARDS CURRENT AT THE TIME OF CONSTRUCTION AND ANY APPLICABLE LOCAL CODES.
 7. THIS DRAWING IS INTENDED AS A GUIDE ONLY. THE FINAL CHOICE AND USE OF MATERIALS, AND METHODS AND DETAILS OF CONSTRUCTION, IS THE RESPONSIBILITY OF THE USER.




19/5/76			
date	n.h.a.	sls	chkd by
revisions			
by			
CMHC SCHL			
Central Mortgage and Housing Corporation Société centrale d'hypothèques et de logement			
designer			
C.M.H.C.			
design no.			
B-1			
scale			
as shown			
date			
May 1976			
drawing no.			
1 of 1			




DESIGN/MODÈLE


B-1




LOWER FLOOR 45' LOT



ALTERNATIVE LOWER FLOOR



UPPER FLOOR




SECTION -A-A




TWO STOREY
CMHC


B-1




2ND FLOOR PLAN




GROUND FLOOR PLAN




BASEMENT PLAN 1/4" = 1'-0"




STREET ELEVATION 1/8" = 1'-0" END ELEVATION REAR ELEVATION




ALTERNATIVE 2ND FLOOR PLAN




ALTERNATIVE BASEMENT PLAN 1/4" = 1'-0"




ALTERNATIVE CHIMNEY LAYOUT ON 2ND FLOOR 1/4" = 1'-0"




KITCHEN ELEV. 1 1/4" = 1'-0"



ELEV. 2




SECTION A-A 1/4" = 1'-0"



WALL DETAIL 1/2" = 1'-0"

GENERAL NOTES

1. ALL FOOTINGS AND FOUNDATIONS SHALL REST ON UNDISTURBED SOIL OR ROCK. FOOTINGS AND FOUNDATIONS MAY HAVE TO BE INCREASED TO SUIT EXISTING LOCAL SOIL CONDITIONS.
2. DOUBLE JOISTS REQUIRED UNDER PARTITIONS RUNNING PARALLEL TO THE FLOOR JOISTS MAY BE BLOCKED APART 8" AT 4'-0" O.C. TO PERMIT THE PASSAGE OF HEATING DUCTS ETC.
3. THE POSITION AND NUMBER OF ELECTRICAL OUTLETS MAY BE RELOCATED BUT MUST IN ALL CASES MEET THE MINIMUM REQUIREMENTS OF THE RESIDENTIAL STANDARDS AND COMPLY WITH LOCAL CODES.
4. PROVIDE A ROD AND AT LEAST ONE SHELF IN ALL COAT AND CLOTHES CLOSETS.
5. ALL FLOOR JOISTS ARE DESIGNED TO NO. 1 GRADE SPRUCE. ANY CHANGE OR SUBSTITUTION MUST BE APPROVED BY AUTHORITY HAVING JURISDICTION.
6. ALL CONSTRUCTION MUST COMPLY WITH THE RESIDENTIAL STANDARDS CURRENT AT THE TIME OF CONSTRUCTION AND ANY APPLICABLE LOCAL CODES.
7. THIS DRAWING IS INTENDED AS A GUIDE ONLY. THE FINAL CHOICE AND USE OF MATERIALS, AND METHODS AND DETAILS OF CONSTRUCTION, IS THE RESPONSIBILITY OF THE USER.



plot plan

10/5/76	C. Haydon	date	n.h.a. stds chkd by	date	revisions	by
---------	-----------	------	---------------------	------	-----------	----

CMHC SCHL
Central Mortgage and Housing Corporation / Société centrale d'hypothèques et de logement

designer	C.M.H.C.
design no.	B-1

scale	as shown
date	May 1976
drawing no.	1 of 1